


# INDIANA. IND S & W 2 P. M.



Township N. IV South of the BASE LINE, Range N. X West of the MERIDIAN.

Surveyed by John Breathitt 1855.

Total 20,883.23

Description of the quality of the Land in the Interior Sectional Series.

Section	Quality	Section	Quality	Section	Quality
35-36 Good soil		2-3 Thin soil		9-10 Thin soil	
33-34 Same		2-4 Same		8-9 Same	
31-32 Same		25-26 Good soil		1-9 Good soil	
29-30 Thin soil		27-28 Same		1-5 Same	
27-28 Same		27-28 Same		28-29 Thin soil	
25-26 Same		22-23 Thin soil		29-30 Same	
23-24 Same		24-25 Good soil		29-30 Same	
21-22 Good soil		15-16 Same		19-20 Good soil	
19-20 Good soil		10-11 Thin soil		17-18 Thin soil	
17-18 Thin soil		4-11 Good soil		17-18 Same	
15-16 Good soil		3-10 Same		8-17 Good soil	
13-14 Thin soil		3-11 Same		7-8 Slightly good soil	
11-12 Slightly good soil		32-33 Thin soil		5-8 Slightly good soil	
9-10 Good soil		25-26 Same		5-6 Good soil	
7-8 Slightly good soil		25-26 Good soil		20-31 Slightly good soil	
5-6 Slightly good soil		24-25 Same		19-20 Good soil	
3-4 Good soil		24-25 Same		18-19 Same	
1-2 Same		24-25 Same		7-18 Same	
		24-25 Same		6-7 Same	



Section 14 South of the 1000 Range. S. 30 to 100.

Interior Section Corners Described.

Quarter Section Corners Continued.

P	Section	Area	Quality	Section	Area	Quality	Section	Area	Quality
A	1000	1000	1000	1000	1000	1000	1000	1000	1000
B	1000	1000	1000	1000	1000	1000	1000	1000	1000
C	1000	1000	1000	1000	1000	1000	1000	1000	1000
D	1000	1000	1000	1000	1000	1000	1000	1000	1000
E	1000	1000	1000	1000	1000	1000	1000	1000	1000
F	1000	1000	1000	1000	1000	1000	1000	1000	1000
G	1000	1000	1000	1000	1000	1000	1000	1000	1000
H	1000	1000	1000	1000	1000	1000	1000	1000	1000
I	1000	1000	1000	1000	1000	1000	1000	1000	1000
J	1000	1000	1000	1000	1000	1000	1000	1000	1000
K	1000	1000	1000	1000	1000	1000	1000	1000	1000
L	1000	1000	1000	1000	1000	1000	1000	1000	1000
M	1000	1000	1000	1000	1000	1000	1000	1000	1000
N	1000	1000	1000	1000	1000	1000	1000	1000	1000
O	1000	1000	1000	1000	1000	1000	1000	1000	1000
P	1000	1000	1000	1000	1000	1000	1000	1000	1000
Q	1000	1000	1000	1000	1000	1000	1000	1000	1000
R	1000	1000	1000	1000	1000	1000	1000	1000	1000
S	1000	1000	1000	1000	1000	1000	1000	1000	1000
T	1000	1000	1000	1000	1000	1000	1000	1000	1000
U	1000	1000	1000	1000	1000	1000	1000	1000	1000
V	1000	1000	1000	1000	1000	1000	1000	1000	1000
W	1000	1000	1000	1000	1000	1000	1000	1000	1000
X	1000	1000	1000	1000	1000	1000	1000	1000	1000
Y	1000	1000	1000	1000	1000	1000	1000	1000	1000



Township N. 4 S, Range N. 10 W, 2<sup>nd</sup> Mer.

14.80 20.00 22.00 23.00	Sec. 6	Sec. 5	Sec. 4	Sec. 3	Sec. 2	1.59.42 1.59.13
57.53 59.46 60.56 61.65	61.89 61.89 61.89 61.89	62.06 62.41 62.76 63.11	63.35 64.43 65.62 66.60	67.59 67.89 67.19 67.00	67.59 67.89 67.19 67.00	Sec. 1
14.80 20.00 22.00 23.00	50.00	79.95	78.70	79.90	70.26	1.30 1.30

The above Subdivisions are truly copied  
from the Records in this Office.

Sur. Genl's Office.  
Cm. Sept. 25<sup>th</sup> 1895

*C. B. Lytle* Sur. Genl.

Encl.  
M. J. S.



19

Variation 6.30 East.

Free. H. C. 187.

Pursuant to a contract with, and instructions from Jared Mansfield Esq. Surveyor General of the United States, bearing date the 3<sup>rd</sup> day of August 1855 - I have ~~examined~~ measured laid out and Surveyed the above described Township, and do hereby Certify that it had such marks and bounds, both natural, and artificial, as are represented in Said Plat and described in the Field Notes made thereof and returned with the plat into the Surveyor General's Office. Certified this 22<sup>nd</sup> day of August 1855.